


#1-2

2 leftside outward opening
Low track



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG


DATE:

2026/03/25

Location:	//	Item:	1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	2	
Profile & Color:	Black	Screen:	//	
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO: Page: 2 of 28

#1-2

3 rightside outward opening
Low track



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG


DATE:

2026/03/25

Location:	//	Item:	1-1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	3	
Profile & Color:	Black	Screen:	//	
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO: Page: 3 of 28

#2-1

2 leftside outward opening
Low track




PROJECT/CLIENT:	美国DAVID Door&window invoice from Charmy
Order Number:	CGXSC20260324010
Drawing version:	20260325
DRAWING NOTES:	Interior View
SIZED BY:	Finished Assembled Dimention
PROJECT COORDINATOR:	W
DRAWN BY:	HONG

Location:	//	Item:	2	DATE:	2026/03/25
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	2	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 4 of 28

#2-2

3 rightside outward opening
Low track



PROJECT/CLIENT:
美国**DAVID Door&window**
invoice from Charmy

Order Number:
CGXSC20260324010

Drawing version:
20260325

DRAWING NOTES:
Interior View

SIZED BY:
Finished Assembled Dimention




PROJECT COORDINATOR:
W

DRAWN BY:
HONG

DATE:
2026/03/25

Location:	//	Item:	2-1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	3	
Profile & Color:	Black	Screen:	//	
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO: Page: 5 of 28

#3



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG

DATE:

2026/03/25

Location:

//

Item:

3

Window/Door Type:

Quantity:

5

Profile & Color:

Screen:

//

Hardware & Color:

Thermal Broken Folding Floor-Low threshold(3

Installation:

Installation strip

Glass Specification:

+1)

Seperated Frame

//

Confirmation:

DWG NO:


Page: 6 of 28

Black

Black

Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.

#4



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG

DATE:

2026/03/25

Location:

//

Item:

4

Window/Door Type:

70 Series Thermal Broken Folding Foor-Low thershold(1+3)

Quantity:

5

Profile & Color:

Black

Screen:

//

Hardware & Color:

Black

Installation:

Installation strip

Glass Specification:

Outside: 5mm High-transparency Low-e+18A+Inside: 5mm
clear glass double tempered insulation glass with argon gas

Seperated Frame

//


Please carefully check the design and dimensions of the drawing.
After confirming that there are no errors, sign your name.
Your signature indicates that you fully understand and agree with
all the contents of this drawing. Our company will proceed with
production and processing according to the drawing.

Confirmation:

DWG NO:

Page: 7 of 28

#5



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:


HONG

DATE:

2026/03/25

Location:	//	Item:	5	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.
Window/Door Type:	70 Series Thermal Broken Folding Foor-Low thershold(1+3)	Quantity:	5	
Profile & Color:	Black	Screen:	//	
Hardware & Color:	Black	Installation:	Installation strip	
Glass Specification:	Outside: 5mm High-transparency Low-e+18A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	
				Confirmation:
				DWG NO: Page: 8 of 28

#6



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:


HONG

DATE:

2026/03/25

Location:	//	Item:	6	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.
Window/Door Type:	70 Series Thermal Broken Folding Foor-Low thershold(3+1)	Quantity:	5	
Profile & Color:	Black	Screen:	//	Confirmation:
Hardware & Color:	Black	Installation:	Installation strip	
Glass Specification:	Outside: 5mm High-transparency Low-e+18A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO: Page: 9 of 28

#7



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG

DATE:

2026/03/25

Location:

//

Item:

7

Window/Door Type:

70 Series Thermal Broken Folding Foor-Low thershold(1+2)

Quantity:

1

Profile & Color:

Black

Screen:

//

Hardware & Color:

Black

Installation:

Installation strip

Glass Specification:

Outside: 5mm High-transparency Low-e+18A+Inside: 5mm
clear glass double tempered insulation glass with argon gas

Seperated Frame

//


Please carefully check the design and dimensions of the drawing.
After confirming that there are no errors, sign your name.
Your signature indicates that you fully understand and agree with
all the contents of this drawing. Our company will proceed with
production and processing according to the drawing.

Confirmation:

DWG NO:

Page: 10 of 28

#8



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:


W

DRAWN BY:

HONG

Location:	//	Item:	8	DATE:	2026/03/25
Window/Door Type:	70 Series Thermal Broken Folding Foor-Low thershold(2+1)	Quantity:	1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+18A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 11 of 28

#9



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:


W

DRAWN BY:

HONG

Location:	//	Item:	9	DATE:	2026/03/25
Window/Door Type:	70 Series Thermal Broken Folding Foor-Low thershold(1+2)	Quantity:	1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+18A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 12 of 28

#10



PROJECT/CLIENT:

美国**DAVID Door&window**
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG

DATE:

2026/03/25

Location:

//

Item:

10

Window/Door Type:

70 Series Thermal Broken Folding Foor-Low thershold(2+1)

Quantity:

1

Profile & Color:

Black

Screen:

//

Hardware & Color:

Black

Installation:

Installation strip

Glass Specification:

Outside: 5mm High-transparency Low-e+18A+Inside: 5mm
clear glass double tempered insulation glass with argon gas

Seperated Frame

//


Confirmation:

DWG NO:

Page: 13 of 28

Please carefully check the design and dimensions of the drawing.
After confirming that there are no errors, sign your name.
Your signature indicates that you fully understand and agree with
all the contents of this drawing. Our company will proceed with
production and processing according to the drawing.


#11



PROJECT/CLIENT:	美国DAVID Door&window invoice from Charmy
Order Number:	CGXSC20260324010
Drawing version:	20260325
DRAWING NOTES:	Interior View
SIZED BY:	Finished Assembled Dimention
PROJECT COORDINATOR:	W
DRAWN BY:	HONG

Location:	//	Item:	11	DATE:	2026/03/25
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	2	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 14 of 28


#12



PROJECT/CLIENT:	美国DAVID Door&window
Order Number:	CGXSC20260324010
Drawing version:	20260325
DRAWING NOTES:	Interior View
SIZED BY:	Finished Assembled Dimention
PROJECT COORDINATOR:	W
DRAWN BY:	HONG

Location:	//	Item:	12	DATE:	2026/03/25
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	3	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 15 of 28

#13



PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:


W

DRAWN BY:

HONG

Location:	//	Item:	13	DATE:	2026/03/25
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	2	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 16 of 28

#14



PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:


HONG

DATE:

2026/03/25

Location:	//	Item:	14	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	3	
Profile & Color:	Black	Screen:	//	Confirmation:
Hardware & Color:	Black	Installation:	Installation strip	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO: Page: 17 of 28

#15



PROJECT/CLIENT:
美国DAVID Door&window
invoice from Charmy

Order Number:
CGXSC20260324010

Drawing version:
20260325

DRAWING NOTES:
Interior View


SIZED BY:
Finished Assembled Dimention

PROJECT COORDINATOR:
W

DRAWN BY:
HONG

Location:	//	Item:	15	DATE:	2026/03/25
Window/Door Type:	88 Series Thermal Break Outswing Door-Low threshold	Quantity:	2	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 18 of 28


Inward swing door for display



PROJECT/CLIENT:	美国DAVID Door&window invoice from Charmy
Order Number:	CGXSC20260324010
Drawing version:	20260325
DRAWING NOTES:	Interior View
SIZED BY:	Finished Assembled Dimention
PROJECT COORDINATOR:	W
DRAWN BY:	HONG

Location:	//	Item:	16	DATE:	2026/03/25
Window/Door Type:	88 Series Thermal Break Inswing Door-Low thershold	Quantity:	1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 19 of 28

#16



PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:


HONG

DATE:

2026/03/25

Location:	//	Item:	16-1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	2	
Profile & Color:	Black	Screen:	//	
Hardware & Color:	Black	Installation:	Installation strip	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	
				Confirmation:
				DWG NO: Page: 20 of 28

#17



PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG

DATE:

2026/03/25

Location:

//

Item:

17

Window/Door Type:

88 Series Thermal Break Outswing Door-Low thershold

Quantity:

2

Profile & Color:

Black

Screen:

//

Hardware & Color:

Black

Installation:

Installation strip

Glass Specification:

Outside: 5mm High-transparency Low-e+27A+Inside: 5mm
clear glass double tempered insulation glass with argon gas

Seperated Frame

//


DWG NO:

Page: 21 of 28

Please carefully check the design and dimensions of the drawing.
After confirming that there are no errors, sign your name.
Your signature indicates that you fully understand and agree with
all the contents of this drawing. Our company will proceed with
production and processing according to the drawing.

Confirmation:

#18



PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:


W

DRAWN BY:

HONG

Location:	//	Item:	18	DATE:	2026/03/25
Window/Door Type:	88 Series Thermal Break Outswing Door-Low thershold	Quantity:	3	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 22 of 28


#19



PROJECT/CLIENT:	美国DAVID Door&window
Order Number:	CGXSC20260324010
Drawing version:	20260325
DRAWING NOTES:	Interior View
SIZED BY:	Finished Assembled Dimention
PROJECT COORDINATOR:	W
DRAWN BY:	HONG

Location:	//	Item:	19-20	DATE:	2026/03/25
Window/Door Type:	88 Series Thermal Break Tilt Turn Window	Quantity:	1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	//		
Hardware & Color:	Black	Installation:	Installation strip+ 30*20*2.0T Nail Flange	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+27A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 23 of 28

#21



PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG

DATE:

2026/03/25

Location:

//

Item:

21

Window/Door Type:

86 Series Thermal Break FIX Window

Quantity:

1

Profile & Color:

Black

Screen:

//

Hardware & Color:

//

Installation:

Installation strip+
30*20*2.0T Nail Flange

Confirmation:

Glass Specification:

Outside: 5mm High-transparency Low-e+20A+Inside: 5mm
clear glass double tempered insulation glass with argon gas

Seperated Frame



//

DWG NO:


Page: 24 of 28

Please carefully check the design and dimensions of the drawing.
After confirming that there are no errors, sign your name.
Your signature indicates that you fully understand and agree with
all the contents of this drawing. Our company will proceed with
production and processing according to the drawing.

#22



just one kind of track
, can build in when
install



1.8"

PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:


HONG

DATE:

2026/03/25

Location:	//	Item:	22	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.
Window/Door Type:	128 Series Thermal Break Sliding Door	Quantity:	1	
Profile & Color:	Black	Screen:	//	
Hardware & Color:	Black	Installation:	Installation strip	Confirmation:
Glass Specification:	Outside: 6mm High-transparency Low-e+22A+Inside: 6mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO: Page: 25 of 28

#23



PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:

W

DRAWN BY:

HONG

DATE:

2026/03/25

Location:

//

Item:

23

Window/Door Type:

128 Series Thermal Break Sliding Door-High thershold

Quantity:

1

Profile & Color:

Black

Screen:

//

Hardware & Color:

Black

Installation:

Installation strip

Glass Specification:

Outside: 6mm High-transparency Low-e+22A+Inside: 6mm
clear glass double tempered insulation glass with argon gas

Seperated Frame

//


Please carefully check the design and dimensions of the drawing.
After confirming that there are no errors, sign your name.
Your signature indicates that you fully understand and agree with
all the contents of this drawing. Our company will proceed with
production and processing according to the drawing.

Confirmation:

DWG NO:

Page: 26 of 28

#24



PROJECT/CLIENT:

美国DAVID Door&window
invoice from Charmy

Order Number:

CGXSC20260324010

Drawing version:

20260325

DRAWING NOTES:

Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:


W

DRAWN BY:

HONG

Location:	//	Item:	24	DATE:	2026/03/25
Window/Door Type:	113 Series Thermal Break Casement window	Quantity:	1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	Black		
Hardware & Color:	Black	Installation:	Installation strip+ 30*20*2.0T Nail Flange	Confirmation:	
Glass Specification:	Outside: 5mm high transmittance low-e glass+19A(Magnetic Blind)+ Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 27 of 28

#25



PROJECT/CLIENT:
美国**DAVID Door&window**
invoice from Charmy

Order Number:
CGXSC20260324010

Drawing version:
20260325

DRAWING NOTES:
Interior View

SIZED BY:

Finished Assembled Dimention

PROJECT COORDINATOR:
W

DRAWN BY:
HONG

Location:	//	Item:	25	DATE:	2026/03/25
Window/Door Type:	115 Series Thermal Break Sliding side pressure window	Quantity:	1	Please carefully check the design and dimensions of the drawing. After confirming that there are no errors, sign your name. Your signature indicates that you fully understand and agree with all the contents of this drawing. Our company will proceed with production and processing according to the drawing.	
Profile & Color:	Black	Screen:	Black		
Hardware & Color:	Black	Installation:	Installation strip+ 30*20*2.0T Nail Flange	Confirmation:	
Glass Specification:	Outside: 5mm High-transparency Low-e+20A+Inside: 5mm clear glass double tempered insulation glass with argon gas	Seperated Frame	//	DWG NO:	Page: 28 of 28